INDEX TO VOLUME IV

A

ABUL-FADL, M. A. M., *see* KING, E. J., ABUL-FADL, M. A. M., and WALKER, P. G.
Agglutination in the Coombs test, speed of, 296
—— of *H. pertussis*, using concavity slides, 487
ALEXANDER, J. G.: Evaluation of a method of estimating the basal metabolic rate, 381
ALLIBONE, E. C., and COLLINS, D. H.: Symptomatic haemolytic anaemia associated with ovarian teratoma in a child, 412
ALLINGTON, M. J., *see* BIGGS, R., and ALLINGTON, M. J.
p-Aminosalicylic acid, action on prothrombin time in man, 478
Anaemia, acquired haemolytic, auto-antibodies in, 253
—— pernicious, reticulocyte crisis after effective specific treatment of, 207
—— symptomatic haemolytic, associated with ovarian teratoma, 412
ANDERSON, K.: Aureomycin, sensitivity of 100 pathogenic strains of *Staphylococcus aureus*, 355
Aneurysm, unusual cardiac, in a young adult, 342
Anisotropic crystals, non-silicious, in tuberculous salpingitis, 333
Antibiotics, disc technique for determining sensitivity to, 374
Antibodies, heterophile, in infectious mononucleosis, 104
—— incomplete, proteolytic enzyme test for detecting, 189
Antibody-sensitized red cells, effect of direct electric current on, 200
Association of Clinical Pathologists: 45th Scientific Meeting, 113
Asthma, eosinophilia and heart failure, 402
Aureomycin, lingual scrapings taken during treatment with, 393
—— sensitivity of 100 pathogenic strains of *S. aureus* to, 355
Auto-antibodies in acquired haemolytic anaemia, 253

B

Basal metabolic rate, evaluation of a method of estimating, 381
BENE, E., and KERSLEY, G. D.: Ultrafiltration of plasma uric acid, 366
BERLIN, R.: Hyperhaemolysis during the premenstrual period (preliminary report), 286
—— Reticulocyte crisis after the effective specific treatment of pernicious anaemia, 207
BERNSTOCK, L., and STERNDALE, H.: An instrument for combined sternal biopsy and aspiration, 378
BIDMEAD, D. S.: Modified technique for determining uric acid in blood and urine, 370
BIGGS, R., and ALLINGTON, M. J.: Sampling error in haemoglobin determination, 211
—— and Macfarlane, R. G.: Reaction of haemophilic plasma to thromboplastin, 445
Bleeding time in normal and abnormal subjects, 272
Blood, determination of uric acid in, 370
—— estimating carbon monoxide in, 441
—— estimation of dicoumarin in, 63
Bone-marrow in rheumatoid arthritis, plasmacytosis in, 47
BOWLER, R. G.: Simple titration method for determining the specific gravity on one drop of urine, 491
BRZEZINSKY, A., *see* GUREVITCH, J., ROZANSKY, R., WEBER, D., BRZEZINSKY, A., and ECKERLING, B.
BUDTZ-OLSEN, O. E.: Micro-estimation of plasma iron with orthotolidine, 92
BUTLER, A., *see* MACMILLAN, R. L., EZRIN, C., and BUTLER, A.
BUTTERWORTH, E. C.: Photometric method for the estimation of sodium and its application to serum sodium determination, 99

C

CALLENDER, S. T., and LAJTHA, L. G.: Effect of citrovorum factor (folinic acid) on megaloblasts *in vitro*, 204
Capillary method, slanting, of Rhesus blood-grouping, 464
Carbon monoxide, estimation in blood with volumetric Van Slyke apparatus, 441
Cardiac aneurysm, unusual, in a young adult, 342
Cell inclusion phenomenon, the lupus erythematosus, 290
Cell-suspension mixer, 383
Centrifugal gradocol filter, 240
Cerebrospinal fluid potassium levels after death, 231
Chloramphenicol, lingual scrapings taken during treatment with, 393
CHOWN, B., and LEWIS, M.: Slanted capillary method of Rhesus blood-grouping, 464
Citrovorum factor, effect on megaloblasts *in vitro*, 204
Clinical pathology, whither? Trends and opportunities, 129
Collagen disease, diffuse, 402
COLLINS, D.H., *see* ALLIBONE, E. C., and COLLINS, D. H.
Concavity slides, agglutination of *H. pertussis* using, 487
COOK, G. T.: Late mannitol-fermenting strain and rapidly fermenting variant of *Shigella flexneri* type Z, 427
Coombs test, speed of agglutination in the, 296
Cortisone, effect on experimental glomerulonephritis, 301
Cover-slip container, a useful, 238

D

DACIE, J. V., and GRUCHY, G. C. de: Auto-antibodies in acquired haemolytic anaemia, 253
Death, potassium levels in cerebrospinal fluid after, 231
DETLOR, M.: Agglutination of *H. pertussis* using concavity slides, 487
2:6-Dichloroquinone-chloroimide, determination of propylthiouracil in urine with, 432
Dicoumarin in blood, estimation of, 63
Disc technique for determining sensitivity to antibiotics, 374

E

ECKERLING, B., *see* GUREVITCH, J., ROZANSKY, R., WEBER, D., BRZEZINSKY, A., and ECKERLING, B.
Electric current, direct, effect on normal and antibody-sensitized red cells, 200
ELEK, S. D., and HILSON, G. R. F.: Centrifugal gradocol filter, 240
—— *see* HILSON, G. R. F., and ELEK, S. D.
ELWOOD, J. S., and WARDENER, H. E. de: Survival of transfused erythrocytes from patients with polycythaemia vera, 218
Embolism, paradoxical, 316
Endocarditis, Libman-Sacks, 402
ENGBAEK, H. C., *see* TEILUM, G., ENGBAEK, H. C., HARBOE, N., and SIMONSEN, M.
Enzyme test, proteolytic, for detecting incomplete antibodies, 189

Eosinophilic polyarteritis, Libman-Sacks endocarditis, and asthma with diffuse collagen disease, 402
Erythrocytes, transfused, survival from patients with polycythaemia vera, 218
Ezrin, C., *see* MacMillan, R. L., Ezrin, C., and Butler, A.

F

Fairbrother, R. W., and Martyn, G.: Disc technique for determining sensitivity to antibiotics, 374
—— and Southall, J. E.: Determination of sensitivity of *Myco. tuberculosis* to streptomycin, 183
Filter, centrifugal gradocol, 240
Folinic acid, effect on megaloblasts *in vitro*, 204
Fragility test, combined, for congenital haemolytic jaundice, 221
Friedmann pregnancy test, modified, 107

G

Gillespie, M., and Poteliakhoff, A.: Association of eosinophilic polyarteritis, Libman-Sacks endocarditis, and asthma with diffuse collagen disease, 402
Glomerulonephritis, experimental effect of cortisone on, 301
Gloyne, Stephen Roodhouse (obituary), 111
Goldsmith, K., and Humble, J. G.: Effect of a direct electric current on normal and antibody-sensitized red cells, 200
Gorrill, R. H., *see* Linsell, W. D., and Gorrill, R. H.
Gradocol filter, centrifugal, 240
Gruchy, G. C. de, *see* Dacie, J. V., and Gruchy, G. C. de
Gurevitch, J., Rozansky, R., Weber, D., Brzezinsky, A., and Eckerling, B.: Role of spermine in the inhibition of *Staphylococcus aureus* by human semen, 360

H

Haemagglutination reaction in tuberculosis, 158
Haemoglobin determination, sampling error in, 211
Haemolytic anaemia, acquired, auto-antibodies in, 253
—— —— symptomatic, associated with ovarian teratoma, 412
—— jaundice, congenital, combined fragility test for, 221
Haemophiliac kindred, prothrombin consumption in, 460
Haemophilic plasma, reaction to thromboplastin, 445
Haemophilus pertussis, agglutination of, using concavity slides, 487
Hapten, Rh, question of, 470
Harboe, N., *see* Teilum, G., Engbaek, H. C., Harboe, N., and Simonsen, M.
Hayhoe, F. G. J., and Smith, D. Robertson Plasmocytosis in the bone marrow in rheumatoid arthritis, 47
Heat, effects on staphylocoagulase test, 73
Heterophile antibodies in infectious mononucleosis, screening test for, 104
Higginson, J., and Keeley, K. J.: Unusual cardiac aneurysm in a young adult, 342
Hilson, G. R. F., and Elek, S. D.: Haemagglutination reaction in tuberculosis, 158
—— *see* Elek, S. D., and Hilson, G. R. F.
Hirsutism, benign, excretion of pregnanediol and 17-ketosteroids during menstrual cycle in, 78
Histochemistry, review of modern methods in, 1
Holman, S.: Lupus erythematosus cell inclusion phenomenon, 290
Humble, J. G., *see* Goldsmith, K., and Humble, J. G.
Hyperhaemolysis during the premenstrual period, 286

I

Instrument for combined sternal biopsy and aspiration, 378
Iron, plasma, micro-estimation with orthotolidine, 92

J

Jaundice, congenital haemolytic, combined fragility test for, 221
Johnson, B. I.: Paradoxical embolism, 316

K

Keeley, K. J., *see* Higginson, J., and Keeley, K. J.
Kersley, G. D., *see* Bene, E., and Kersley, G. D.
17-Ketosteroids, excretion during menstrual cycle in benign hirsutism, 78
King, E. J., Abul-Fadl, M. A. M., and Walker, P. G.: King-Armstrong phosphatase estimation by the determination of liberated phosphate, 85
King-Armstrong estimation by determination of liberated phosphate, 85
Kinnear, A. A.: Preliminary report on a modified Friedmann pregnancy test, 107
Klyne, W., *see* Mason, J. K., Klyne, W., and Lennox, B.

L

Lajtha, L. G., *see* Callender, S. T., and Lajtha, L. G.
Lamp, improved microscope, 234
Lennox, B., *see* Mason, J. K., Klyne, W., and Lennox, B.
Lewis, M., *see* Chown, B., and Lewis, M.
Libman-Sacks endocarditis, 402
Lingual scrapings taken during treatment with chloramphenicol and aureomycin, 393
Linsell, W. D., and Gorrill, R. H.: Effects of heat and sodium ethyl-mercuri-thio-salicylate on the staphylocoagulase test, 73
Lowbury, E. J.: Improved culture methods for the detection of *Ps. pyocyanea*, 66
Lubran, M.: Estimation of dicoumarin in blood, 63
Lupus erythematosus cell inclusion phenomenon, 290

M

McAllister, R. A.: Determination of propylthiouracil in urine with 2:6-dichloroquinone-chloroimide, 432
McCartney, J. E.: Improved microscope lamp, 234
Macfarlane, R. G., *see* Biggs, R., and Macfarlane, R. G.
MacMillan, R. L., Ezrin, C., and Butler, A.: Prothrombin consumption in haemophiliac kindred, 460
Mannitol-fermenting strain, late, of *Shigella flexneri* type Z, 427
Martyn, G., *see* Fairbrother, R. W., and Martyn, G.
Mason, J. K., Klyne, W., and Lennox, B.: Potassium levels in the cerebrospinal fluid after death, 231
Matthews, G. A.: A cell-suspension mixer, 383
Meade, B. W., and Smith, M. J. H.: Estimation of sodium gentisate in plasma and urine, 226
Megaloblasts, effect of citrovorum factor (folinic acid) on, 204
Menstrual cycle in benign hirsutism, excretion of pregnanediol and 17-ketosteroids during, 78
Merivale, W. H. H.: Excretion of pregnanediol and 17-ketosteroids during the menstrual cycle in benign hirsutism, 78
Metabolic rate, basal evaluation of a method of estimating the, 381
Micro-estimation of plasma iron with orthotolidine, 92
Microscope lamp, an improved, 234
Mixer, cell-suspension, 383
Monckton, J. C.: A useful cover-slip container, 238
Mononucleosis, infectious, screening test for heterophile antibodies in, 104
Morris, D. M., *see* Rubbo, S. D., and Morris, D. M.
Morton, J. A., and Pickles, M. M.: Proteolytic enzyme test for detecting incomplete antibodies, 189
Mycobacterium tuberculosis, determination of sensitivity to streptomycin, 183
—— —— in sputum, streptomycin sensitivity of, 173

N

Nicholas, J. W.: A simplified method for estimating carbon monoxide in blood with the volumetric Van Slyke apparatus, 441
Non-silicious anisotropic crystals in tuberculous salpingitis, 333

O

Obituary:
Gloyne, Stephen Roodhouse, 111
Panton, Sir Philip, 109
O'Brien, J. R.: The bleeding time in normal and abnormal subjects, 272
Orthotolidine, micro-estimation of plasma iron with, 92
Osborn, D. A.: The question of the Rh hapten, 470
Ovarian teratoma, symptomatic haemolytic anaemia associated with, 412

P

PAGEL, W.: Polyarteritis nodosa and the "rheumatic" diseases, 137
Panton, Sir Philip (obituary), 109
Paradoxical embolism, 316
P.A.S., action on prothrombin time in man, 478
PEARSE, A. G. Everson: A review of modern methods in histochemistry, 1
Penicillin-resistant staphylococci in a semi-closed community, 350
Phosphatase estimation by determination of liberated phosphate, 85
Photometric method for estimation of sodium, 99
PICKLES, M. M., *see* MORTON, J. A., and PICKLES, M. M.
Plasma, estimation of sodium gentisate in, 226
—— iron, micro-estimation with orthotolidine, 92
—— uric acid, ultrafiltration of, 366
Plasmacytosis in the bone marrow in rheumatoid arthritis, 47
Platelet count, normal, in man, 37
Polyarteritis, eosinophilic, 402
—— nodosa and the "rheumatic" diseases, 137
Polycythaemia vera, survival of transfused erythrocytes from patients with, 218
POOLE, J. C. F., and WILLIAMS, G. C. J.: Emergency methods for Rhesus group determination, 55
Potassium levels in cerebrospinal fluid after death, 231
POTELIAKHOFF, A., *see* GILLESPIE, M., and POTELIAKHOFF, A.
POTTS, R. E.: Non-silicious anisotropic crystals in tuberculous salpingitis, 333
Pregnancy test, modified Friedmann, 107
Pregnanediol and 17-ketosteroid, excretion during menstrual cycle in benign hirsutism, 78
Premenstrual period, hyperhaemolysis during, 286
Presidential address: Whither clinical pathology? 129
Propylthiouracil, determination of, in urine, 432
Proteolytic enzyme test for detecting incomplete antibodies, 189
Prothrombin consumption in haemophiliac kindred, 460
—— time, action of *p*-aminosalicylic acid on, 478
Pseudomonas pyocyanea, improved culture methods for detection of, 66

R

Red cells, effect of direct electric current on normal and antibody-sensitized, 200
Reticulocyte crisis after effective specific treatment of pernicious anaemia, 207
Rhesus blood-grouping, slanted capillary method of, 464
—— group determination, emergency methods for, 55
—— hapten, question of the, 470
"Rheumatic" diseases, polyarteritis nodosa and the, 137
Rheumatoid arthritis, plasmacytosis in bone marrow in, 47
ROZANSKY, R., *see* GUREVITCH, J., ROZANSKY, R., WEBER, D., BRZEZINSKY, A., and ECKERLING, B.
RUBBO, S. D., and MORRIS, D. M.: Slide-culture technique for determining streptomycin sensitivity of *M. tuberculosis* in sputum, 173

S

Salpingitis, tuberculous, non-silicious anisotropic crystals in, 333
SCHWABACHER, H., *see* THOMPSON, B. A., and SCHWABACHER, H.
Screening test for heterophile antibodies in infectious mononucleosis, 104
Semen, human, role of spermine in inhibition of *Staph. aureus* by, 360
Serum sodium determination, photometric method for, 99
Shigella flexneri type Z, late mannitol-fermenting strain of, 427
SIMONSEN, M., *see* TEILUM, G., ENGBAEK, H. C., HARBOE, N., and SIMONSEN, M.
Slanted capillary method of Rhesus blood-grouping, 464
Slide-culture technique for determining streptomycin sensitivity of *M. tuberculosis* in sputum, 173
SLOAN, A. W.: The normal platelet count in man, 37
SMITH, D. Robertson, *see* HAYHOE, F. S. J., and SMITH, D. Robertson
SMITH, M. J. H., *see* MEADE, B. W., and SMITH, M. J. H.
Sodium, photometric method for estimation of, 99
Sodium ethyl mercuri-thio-salicylate, effect on staphylocoagulase test, 73
Sodium gentisate, estimation in plasma and urine, 226
SOUTHALL, J. E., *see* FAIRBROTHER, R. W., and SOUTHALL, J. E.
Specific gravity, determination on one drop of urine, 491
Spermine, role in inhibition of *Staph. aureus* by human semen, 360
Sputum, streptomycin sensitivity of *M. tuberculosis* in, 173
Staphylocoagulase test, effects of heat and sodium ethyl mercuri-thio-salicylate on, 73
Staphylococci, penicillin-resistant, in a semi-closed community, 350
Staphylococcus aureus, aureomycin sensitivity of 100 pathogenic strains of, 355
—— —— role of spermine in inhibition of, 360
STEINGOLD, L., *see* TARNOKY, A. L., and STEINGOLD, L.
Sternal biopsy and aspiration, instrument for combined, 378
STERNDALE, H., *see* BERNSTOCK, L., and STERNDALE, H.
Streptomycin, determination of sensitivity of *M. tuberculosis* to, 183
—— resistant tubercle bacilli, simple method for detecting, 421
—— sensitivity of *M. tuberculosis* in sputum, slide culture for, 173

T

TARNOKY, A. L., and STEINGOLD, L.: Action on *p*-aminosalicylic acid on prothrombin time in man, 478
TEILUM, G., ENGBAEK, H. C., HARBOE, N., and SIMONSEN, M.: Effects of cortisone on experimental glomerulonephritis, 301
THOMPSON, B. A., and SCHWABACHER, H.: Incidence of penicillin-resistant staphylococci in a semi-closed community, 350
Thromboplastin, reaction of haemophilic plasma to, 445
Titration method for determining specific gravity on one drop of urine, 491
TOMASZEWSKI, W.: Findings from lingual scrapings taken during treatment with chloramphenicol and aureomycin, 393
Transfused erythrocytes from patients with polycythaemia vera, survival of, 218
Tubercle bacilli, simple method for detecting streptomycin resistant, 421
Tuberculosis, haemagglutination reaction in, 158
Tuberculous salpingitis, non-silicious anisotropic crystals in, 333

U

Ultrafiltration of plasma uric acid, 366
Uric acid, modified technique for determination in blood and urine, 370
—— —— plasma, ultrafiltration of, 366
Urine, determination of propylthiouracil in, 432
—— —— —— specific gravity on one drop of, 491
—— —— —— uric acid in, 370
—— estimation of sodium gentisate in, 226

V

Van Slyke apparatus, volumetric, estimation of carbon monoxide in blood with, 441
VARADI, S.: Combined fragility test for congenital haemolytic jaundice, 221
VAUGHN, J.: A screening test for heterophile antibodies in infectious mononucleosis, 104

W

WALKER, P. G., *see* KING, E. J., ABUL-FADL, M. A. M., and WALKER, P. G.
WARDENER, H. E. de, *see* ELWOOD, J. S., and WARDENER, H. E. de
WEBER, D., *see* GUREVITCH, J., ROZANSKY, R., WEBER, D., BRZEZINSKY, A., and ECKERLING, B.
WHITBY, Sir L.: Whither clinical pathology? Trends and opportunities, 129
Whither clinical pathology? Trends and opportunities, 129
WILDY, P.: A simple method for detecting streptomycin-resistant tubercle bacilli, 421
WILLIAMS, G. C. J., *see* POOLE, J. C. F., and WILLIAMS, G. C. J.
WOOTTON, I. D. P.: Factors affecting the speed of agglutination in the Coombs test, 296